PRINTED: 06/09/2014 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
		000448	B. WING		06/06/2014
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE					
TIMBERCREST CHURCH OF BRETHREN 2201 EAST ST NORTH MANCHESTER, IN 46962					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE COMPLETE
R 000	000 INITIAL COMMENTS		R 000		
	This visit was for a State Licensure Residential Survey.				
	Survey Dates: June 2, 3, 4, 5, and 6, 2014				
	Facility Number: 00448 Provider Number: 00448 AIM Number: N/A				
	Survey Team: Kim Davis, RN,TC Shelly Reed, RN (June 3, and 4, 2014)				
	Census Bed Type: Residential : 188				
	Census Payor Type: Other: 188 Total: 188				
	Sample: 10				
	Timbercrest Church of be in compliance with	of the Brethren was found to 410 IAC 16.2-5.			
	Quality review comple	eted by Debora Barth, RN.			

Indiana State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE